

RD Certificate Number: EW201

Jackpad System comprising Jackpad 400 Support Block, 2 section Steel Adjuster & 50mm incremental packer

Description

This Registered System is a support system for modular and re-locatable buildings.

Scope of Registration

Jackpad is a portable foundation system for modular and portable buildings of all types subject to the loading conditions detailed under the limitations section of this certificate.



Validity

This system has been checked for compliance in accordance with English and Welsh Building Regulations.

Registration was first issued on 02/05/12 and is valid until 02/05/21 providing there are no amendments to applicable regulations.

Issue dated 21/02/2018

Further Information

For more detailed information including access to the full certificate and supporting documents please use this link <http://www.labc.co.uk/our-services/registered-details/ew201-jackpad-system-comprising-jackpad-400-support-block-2-section>

Jackpad Ltd.

17 Bitteswell Rd

Lutterworth

Leicester

LE17 4EL

Tel: 0116 2866966

Email: enquiries@jackpad.co.uk

Website: www.jackpad.co.uk



This certificate is valid for Building Regulations & associated technical guidance in force on the date of registration and for the regulations in the countries indicated

Jackpad System comprising Jackpad 400 Support Block, 2 section Steel Adjuster & 50mm incremental packer

Description of Product

This Registered System is a support system for modular and relocatable buildings.



Key Factors Assessed

- Mechanical Resistance & Stability
- Safety in Use
- Durability serviceability and identification

Validity

This certificate was first issued on 2nd May 2012 and is valid until 2nd May 2021

Issue Dated 21st February 2018

Scope of Registration

Jackpad is a portable foundation system for modular and portable buildings of all types subject to the loading conditions detailed under the limitations section of this certificate.

Conditions of Certificate

The imposed load per Jackpad is no greater than 48kn. Typically, the ground bearing pressure is to be no less than 130kn/m², otherwise additional dispersion measures must be undertaken on a project specific basis.

LABC consider that, the Jackpad System, will meet the functional requirements of the Building Regulations (listed below) if the criteria detailed in this certificate are met;



The Building Regulations 2010 (as amended) England & Wales

Regulation 7 Materials and workmanship
Note: The product is acceptable.
AD A Structure
Note: Relates to A1 only.



The Building Regulations 2010 (as amended) England

None Presently



The Building Regulations 2010 (as amended) Wales

None Presently



The Building (Scotland) Regulations 2004 (as amended)

If you would like to discuss a specific use of the product in Scotland it will require an additional assessment under the Scottish Building Regulations and accordingly you should contact the LABSS STAS Administrator at www.labss.org

Non-Regulatory Information



LABC Warranty

The use of the Jackpad System has not been assessed to meet the requirements of the LABC Warranty Technical Manual. If you would like to discuss a specific use please make an enquiry to technical.services@labcwarranty.co.uk

Supporting Documentation

Structural Calculations from John Strange Chartered Structural Engineer, sheets 1-14 inclusive

Contact Information

Jackpad Limited
17 Bitteswell Road
Lutterworth
Leicester
LE17 4EL
Tel: 0116 2866966
Email: enquiries@jackpad.co.uk
Web: www.jackpad.co.uk